JUL 0 6 2007

S/N 10/751134

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

FUJII

Examiner:

MENDEZ, Manuel A.

Serial No.:

10/751134

Group Art Unit:

3763

Filed:

December 30, 2003

Docket No.:

10873.0803USC1

Title:

MIXING/CHARGING PORT FOR MEDICAL TREATMENT

CERTIFICATE UNDER 37 CFR 1.6(d):

I hereby certify that this paper is being transmitted by facsimile to the U

CHANGE OF CORRESPONDENCE ADDRESS

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Dear Sir:

Please change the correspondence address for the above-referenced patent application to:

> Hamre, Schumann, Mueller & Larson, P.C. P.O. Box 2902 Minneapolis, MN 55402-0902

If there are any questions regarding this matter, please call the undersigned at 612.455.3800.

52835 PATENT TRADEMARK OFFICE

Dated: July 2007

Respectfully submitted,

HAMRE, SCHUMANN, MUELLER & LARSON, P.C. P.O. Box 2902

Minneapolis, MN 55402-0902 (612) 455/3800

By:

Douglas P. Mueller

Reg. No. 30,300

DPM/ls